

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

CBG Distillate FD

AG-R1049952IHH



Confident Cannabis ID: 1910KR0339.5440

Sample ID: M191679-02

Matrix: Distillate

METRC Batch #:

Sampling Method/SOP: SOP.T.20.010

Date Sampled: 10/28/19 09:00

Date Accepted: 10/28/19

Harvest/Process Lot ID: 10.28.28-0

Batch ID: 10.32.28-4

Batch Size (g): 6825g

Unit for Sale: g/kilograms

Harvest/Production Date: 10-21-19

Cannabinoid Analysis

Date/Time Extracted: 10/31/19 15:25

Date/Time Analyzed: 11/02/19 03:16

Analysis Method/SOP: SOP.T.40.020

Cannabinoids	LOQ(%)	mg/g	% weight	Cannabinoid Profile
Total THC ((THCA*0.877)+Δ9THC)		12.80	1.280	
Total CBD ((CBDA*0.877)+CBD)		41.40	4.140	
THCA	0.200	< LOQ	< LOQ	
delta 9-THC	0.200	12.80	1.28	
CBGA	0.200	< LOQ	< LOQ	
CBDA	0.200	< LOQ	< LOQ	
CBD	0.200	41.40	4.14	
CBDV	0.200	< LOQ	< LOQ	
CBN	0.200	< LOQ	< LOQ	
CBG	0.200	797.00	79.7	
CBC	0.200	16.70	1.67	
CBDV-A	0.200	< LOQ	< LOQ	
Sum of tested Cannabinoids	0.200	868.00	86.8	

"Total THC" and "Total CBD" are calculated values and are an Oregon reporting requirement (OAR 333-064-0100). For Cannabinoid analysis, only delta 9-THC, THCA, CBD, CBDA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are dry weight corrected; Oregon Water Activity action level is 0.65Aw and Oregon Moisture Content action level is 15%, Samples above limit will be highlighted RED; FD = Field Duplicate; LOQ = Limit of Quantitation.

Stephanie Moon
 Laboratory Director - 11/4/2019

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

	CBG Distillate FD	Date Sampled: 10/28/19 09:00
		Date Accepted: 10/28/19
AG-R1049952IHH		Batch ID: 10.32.28-4
Sample ID: M191679-02	METRC Batch #:	Batch Size: 6825g
Matrix: Distillate		Sampling Method/SOP: SOP.T.20.010

Pesticides

Date/Time Extracted: 10/30/19 14:35

Date/Time Analyzed: 10/31/2019 11:54:56AM

Analysis Method/SOP: SOP.T.40.050 / SOP.T.40.051

Analyte	LOQ	Action Level	Result	Units	Type
Abamectin	0.250	0.5	< LOQ	ppm	
Acephate	0.200	0.4	< LOQ	ppm	Organophosphate insecticide
Acequinocyl	1.00	2	< LOQ	ppm	
Acetamiprid	0.200	0.2	< LOQ	ppm	Neonicotinoid insecticide
Aldicarb	0.200	0.4	< LOQ	ppm	Carbamate insecticide
Azoxystrobin	0.200	0.2	< LOQ	ppm	
Bifenazate	0.200	0.2	< LOQ	ppm	Unclassified insecticide
Bifenthrin	0.200	0.2	< LOQ	ppm	
Boscalid	0.200	0.4	< LOQ	ppm	Anilide fungicide
Carbaryl	0.200	0.2	< LOQ	ppm	Carbamate insecticide
Carbofuran	0.200	0.2	< LOQ	ppm	Carbamate insecticide
Chlorantranilprole	0.200	0.2	< LOQ	ppm	Anthranilic diamide insecticide
Chlorfenapyr	0.500	1	< LOQ	ppm	Pyrazole insecticide
Chlorpyrifos	0.200	0.2	< LOQ	ppm	Organophosphate insecticide
Clofentezine	0.200	0.2	< LOQ	ppm	
Cyfluthrin	0.500	1	< LOQ	ppm	
Cypermethrin	0.500	1	< LOQ	ppm	
Daminozide	0.500	1	< LOQ	ppm	
DDVP (Dichlorvos)	0.500	1	< LOQ	ppm	
Diazinon	0.200	0.2	< LOQ	ppm	Organophosphate insecticide
Dimethoate	0.200	0.2	< LOQ	ppm	
Ethoprophos	0.200	0.2	< LOQ	ppm	
Etofenprox	0.200	0.4	< LOQ	ppm	
Etoxazole	0.200	0.2	< LOQ	ppm	Unclassified miticide
Fenoxycarb	0.200	0.2	< LOQ	ppm	
Fenpyroximate	0.200	0.4	< LOQ	ppm	
Fipronil	0.200	0.4	< LOQ	ppm	Pyrazole insecticide
Fonicamid	0.500	1	< LOQ	ppm	Pyridinecarboxamide insecticide
Fludioxonil	0.200	0.4	< LOQ	ppm	non-systemic fungicide
Hexythiazox	0.500	1	< LOQ	ppm	
Imazalil	0.200	0.2	< LOQ	ppm	Azole fungicide
Imidacloprid	0.200	0.4	< LOQ	ppm	Neonicotinoid insecticide
Kresoxim-methyl	0.200	0.4	< LOQ	ppm	
Malathion	0.200	0.2	< LOQ	ppm	
Metalaxyl	0.200	0.2	< LOQ	ppm	
Methiocarb	0.200	0.2	< LOQ	ppm	Carbamate insecticide



Stephanie Moon
 Laboratory Director - 11/4/2019

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

CBG Distillate FD
AG-R1049952IHH
Sample ID: M191679-02 **METRC Batch #:**
Matrix: Distillate


Date Sampled: 10/28/19 09:00
Date Accepted: 10/28/19
Batch ID: 10.32.28-4
Batch Size: 6825g
Sampling Method/SOP: SOP.T.20.010

Pesticides

Date/Time Extracted: 10/30/19 14:35 *Date/Time Analyzed: 10/31/2019 11:54:56AM*
Analysis Method/SOP: SOP.T.40.050 / SOP.T.40.051

Analyte	LOQ	Action Level	Result	Units	Type
Methomyl	0.200	0.4	< LOQ	ppm	Carbamate insecticide
Methyl parathion	0.200	0.2	< LOQ	ppm	
MGK-264	0.200	0.2	< LOQ	ppm	
Myclobutanil	0.200	0.2	< LOQ	ppm	Azole fungicide
Naled	0.250	0.5	< LOQ	ppm	
Oxamyl	0.500	1	< LOQ	ppm	Carbamate insecticide
Paclobutrazol	0.200	0.4	< LOQ	ppm	Azole plant growth regulator
Permethrins	0.200	0.2	< LOQ	ppm	
Phosmet	0.200	0.2	< LOQ	ppm	Organophosphate insecticide
Piperonyl butoxide	1.00	2	< LOQ	ppm	
Prallethrin	0.200	0.2	< LOQ	ppm	
Propiconazole	0.200	0.4	< LOQ	ppm	
Propoxur	0.200	0.2	< LOQ	ppm	Carbamate insecticide
Pyrethrins	0.500	1	< LOQ	ppm	
Pyridaben	0.200	0.2	< LOQ	ppm	Unclassified insecticide
Spinosad	0.200	0.2	< LOQ	ppm	Spinosyn insecticide
Spiromesifen	0.200	0.2	< LOQ	ppm	Keto-enol insecticide
Spirotetramat	0.200	0.2	< LOQ	ppm	Keto-enol insecticide
Spiroxamine	0.200	0.4	< LOQ	ppm	Unclassified fungicide
Tebuconazole	0.200	0.4	< LOQ	ppm	
Thiacloprid	0.200	0.2	< LOQ	ppm	
Thiamethoxam	0.200	0.2	< LOQ	ppm	Neonicotinoid insectide
Trifloxystrobin	0.200	0.2	< LOQ	ppm	Strobin fungicide

Results above the action level fail Oregon state testing requirements and will be highlighted RED.
 LOQ= Limit of Quantitation; PPM= Parts per million; ND= Not detected; NT= Not tested; AC= Above calibration range. PASS/FAIL status based on OAR 333-007.

 Stephanie Moon
 Laboratory Director - 11/4/2019

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

CBG Distillate FD

Date Sampled: 10/28/19 09:00
 Date Accepted: 10/28/19
 Batch ID: 10.32.28-4
 Batch Size: 6825g
 Sampling Method/SOP: SOP.T.20.010

AG-R1049952IHH

Sample ID: M191679-02 METRC Batch #:

Matrix: Distillate

Residual Solvents

Analyte	LOQ	Action Level	Result	Units
Butanes	250	5000 ³	< LOQ	ppm
n-Butane	250	5000	< LOQ	ppm
iso-Butane	250	5000	< LOQ	ppm
Hexanes	174	290 ⁴	< LOQ	ppm
n-Hexane	174	290	< LOQ	ppm
2-Methylpentane	174	290	< LOQ	ppm
3-Methylpentane	174	290	< LOQ	ppm
2,2-Dimethylbutane	174	290	< LOQ	ppm
2,3-Dimethylbutane	174	290	< LOQ	ppm
Pentanes	1400	5000 ⁵	< LOQ	ppm
n-Pentane	1400	5000	< LOQ	ppm
iso-Pentane	1400	5000	< LOQ	ppm
Neopentane	250	5000	< LOQ	ppm
Xylenes	1302	2170	< LOQ	ppm
1,2-Dimethylbenzene	1302	2170	< LOQ	ppm
1,3-Dimethylbenzene	1302	2170	< LOQ	ppm
1,4-Dimethylbenzene	1302	2170	< LOQ	ppm
Xylenes MP	1302	2170	< LOQ	ppm
Ethyl benzene	1302	NA	< LOQ	ppm
2-Propanol (IPA)	1400	5000	< LOQ	ppm
Acetone	1400	5000	< LOQ	ppm
Acetonitrile	246	410	< LOQ	ppm
Benzene	1.2	2	< LOQ	ppm
Methanol	1000	3000	< LOQ	ppm
Propane	250	5000	< LOQ	ppm
Toluene	534	890	< LOQ	ppm
Dichloromethane	360	600	< LOQ	ppm
1,4-Dioxane	228	380	< LOQ	ppm
2-Butanol	1400	5000	< LOQ	ppm
2-Ethoxyethanol	96	160	< LOQ	ppm
Cumene	42	70	< LOQ	ppm
Cyclohexane	2278	3880	< LOQ	ppm
Ethyl acetate	1400	5000	< LOQ	ppm
Ethyl ether	1400	5000	< LOQ	ppm
Ethylene glycol	372	620	< LOQ	ppm
Ethylene oxide	30	50	< LOQ	ppm
Heptane	1400	5000	< LOQ	ppm
Isopropyl acetate	1400	5000	< LOQ	ppm
Tetrahydrofuran	432	720	< LOQ	ppm
Ethanol	1400	NA ⁷	< LOQ	ppm

Date/Time Extracted: 10/31/19 10:18

Date/Time Analyzed: 10/31/19 16:25

Analysis Method/SOP: SOP.T.40.031

3 - Total butanes are calculated as sum of n butanes (CAS# 106 97 8) and iso-butane (CAS# 75-28-5)

4 - Total hexanes are calculated as sum of n-hexane (CAS# 110-54-3), 2-methylpentane (CAS# 107-83-5), 3-methylpentane (CAS# 96-14-0), 2,2 dimethy butane (CAS# 75 83 2), 2,3-dimethyl butane (CAS# 79-29-8)

5 - Total pentanes are calculated as sum of n-pentane (CAS# 109-66-0), iso-pentane (CAS# 78-78-4), and neo-pentane (CAS# 463-82-1)

6 - Total xylenes are calculated as 1,2-dimethy benzene (CAS# 95-47-6), 1,3-dimethy benzene (CAS# 106-42-3), and 1-4-dimethy benzene (CAS# 106-42-3)

7 - Ethanol is not regulated under OAR-333-007-0410.

Results above the action level fail Oregon state testing requirements and will be highlighted RED. LOQ=Limit of Quantitation; PPM=Parts per million; ND=Not detected; NT=Not tested; AC=Above calibration range. PASS/FAIL status based on OAR 333-007. Analysis performed in conjunction with EVIO Labs Portland.



Stephanie Moon
 Laboratory Director - 11/4/2019

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19J221 - SOP.T.30.060 Pesticide Prep

Blank(M19J221-BLK1)			Extracted: 10/30/19 14:35		Analyzed: 10/30/19 21:03		
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
Cyfluthrin	< LOQ	0.500 (ppm)	< LOQ	Cypermethrin	< LOQ	0.500 (ppm)	< LOQ
MGK-264	< LOQ	0.200 (ppm)	< LOQ	Chlorfenapyr	< LOQ	0.500 (ppm)	< LOQ
Methyl parathion	< LOQ	0.200 (ppm)	< LOQ	Acequinocyl	< LOQ	1.00 (ppm)	< LOQ
Bifenthrin	< LOQ	0.200 (ppm)	< LOQ	Acephate	< LOQ	0.200 (ppm)	< LOQ
Abamectin	< LOQ	0.250 (ppm)	< LOQ	Acetamiprid	< LOQ	0.200 (ppm)	< LOQ
Aldicarb	< LOQ	0.200 (ppm)	< LOQ	Azoxystrobin	< LOQ	0.200 (ppm)	< LOQ
Bifenazate	< LOQ	0.200 (ppm)	< LOQ	Boscalid	< LOQ	0.200 (ppm)	< LOQ
Carbaryl	< LOQ	0.200 (ppm)	< LOQ	Carbofuran	< LOQ	0.200 (ppm)	< LOQ
Chlorantraniliprole	< LOQ	0.200 (ppm)	< LOQ	Chlorpyrifos	< LOQ	0.200 (ppm)	< LOQ
Clofentezine	< LOQ	0.200 (ppm)	< LOQ	Daminozide	< LOQ	0.500 (ppm)	< LOQ
DDVP (Dichlorvos)	< LOQ	0.500 (ppm)	< LOQ	Diazinon	< LOQ	0.200 (ppm)	< LOQ
Dimethoate	< LOQ	0.200 (ppm)	< LOQ	Ethoprophos	< LOQ	0.200 (ppm)	< LOQ
Etofenprox	< LOQ	0.200 (ppm)	< LOQ	Etoxazole	< LOQ	0.200 (ppm)	< LOQ
Fenoxycarb	< LOQ	0.200 (ppm)	< LOQ	Fenpyroximate	< LOQ	0.200 (ppm)	< LOQ
Fipronil	< LOQ	0.200 (ppm)	< LOQ	Flonicamid	< LOQ	0.500 (ppm)	< LOQ
Fludioxonil	< LOQ	0.200 (ppm)	< LOQ	Hexythiazox	< LOQ	0.500 (ppm)	< LOQ
Imazalil	< LOQ	0.200 (ppm)	< LOQ	Imidacloprid	< LOQ	0.200 (ppm)	< LOQ
Kresoxim-methyl	< LOQ	0.200 (ppm)	< LOQ	Malathion	< LOQ	0.200 (ppm)	< LOQ
Metalaxyl	< LOQ	0.200 (ppm)	< LOQ	Methiocarb	< LOQ	0.200 (ppm)	< LOQ
Methomyl	< LOQ	0.200 (ppm)	< LOQ	Myclobutanil	< LOQ	0.200 (ppm)	< LOQ
Naled	< LOQ	0.250 (ppm)	< LOQ	Oxamyl	< LOQ	0.500 (ppm)	< LOQ
Paclobutrazol	< LOQ	0.200 (ppm)	< LOQ	Permethrins	< LOQ	0.200 (ppm)	< LOQ
Phosmet	< LOQ	0.200 (ppm)	< LOQ	Piperonyl butoxide	< LOQ	1.00 (ppm)	< LOQ
Prallethrin	< LOQ	0.200 (ppm)	< LOQ	Propiconazole	< LOQ	0.200 (ppm)	< LOQ
Propoxur	< LOQ	0.200 (ppm)	< LOQ	Pyrethrins	< LOQ	0.500 (ppm)	< LOQ
Pyridaben	< LOQ	0.200 (ppm)	< LOQ	Spinosad	< LOQ	0.200 (ppm)	< LOQ
Spiromesifen	< LOQ	0.200 (ppm)	< LOQ	Spirotetramat	< LOQ	0.200 (ppm)	< LOQ
Spiroxamine	< LOQ	0.200 (ppm)	< LOQ	Tebuconazole	< LOQ	0.200 (ppm)	< LOQ
Thiacloprid	< LOQ	0.200 (ppm)	< LOQ	Thiamethoxam	< LOQ	0.200 (ppm)	< LOQ
Trifloxystrobin	< LOQ	0.200 (ppm)	< LOQ				

LCS(M19J221-BS1)			Extracted: 10/30/19 14:35		Analyzed: 10/30/19 21:31		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Cyfluthrin	134	0.500 (ppm)	50-150	Cypermethrin	129	0.500 (ppm)	50-150
MGK-264	94.8	0.200 (ppm)	50-150	Chlorfenapyr	95.9	0.500 (ppm)	50-150
Methyl parathion	150	0.200 (ppm)	50-150	Bifenthrin	94.9	0.200 (ppm)	50-150
Acephate	96.7	0.200 (ppm)	50-150	Abamectin	78.5	0.250 (ppm)	50-150



Stephanie Moon
 Laboratory Director - 11/4/2019

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19J221 - SOP.T.30.060 Pesticide Prep (Continued)

LCS(M19J221-BS1)			Extracted: 10/30/19 14:35		Analyzed: 10/30/19 19:35		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Acetamiprid	95.4	0.200 (ppm)	50-150	Aldicarb	116	0.200 (ppm)	50-150
Azoxystrobin	80.1	0.200 (ppm)	50-150	Bifenazate	95.9	0.200 (ppm)	50-150
Boscalid	93.4	0.200 (ppm)	50-150	Carbaryl	104	0.200 (ppm)	50-150
Carbofuran	101	0.200 (ppm)	50-150	Chlorantraniliprole	86.1	0.200 (ppm)	50-150
Chlorpyrifos	108	0.200 (ppm)	50-150	Clofentezine	105	0.200 (ppm)	50-150
DDVP (Dichlorvos)	71.3	0.500 (ppm)	50-150	Diazinon	86.5	0.200 (ppm)	50-150
Dimethoate	94.4	0.200 (ppm)	50-150	Ethoprophos	91.2	0.200 (ppm)	50-150
Etofenprox	93.1	0.200 (ppm)	50-150	Etoxazole	79.8	0.200 (ppm)	50-150
Fenoxycarb	82.1	0.200 (ppm)	50-150	Fenpyroximate	80.0	0.200 (ppm)	50-150
Fipronil	114	0.200 (ppm)	50-150	Flonicamid	102	0.500 (ppm)	50-150
Fludioxonil	73.9	0.200 (ppm)	50-150	Hexythiazox	73.3	0.500 (ppm)	50-150
Imazalil	93.0	0.200 (ppm)	50-150	Imidacloprid	90.9	0.200 (ppm)	50-150
Kresoxim-methyl	83.4	0.200 (ppm)	50-150	Malathion	106	0.200 (ppm)	50-150
Metalaxyl	97.9	0.200 (ppm)	50-150	Methiocarb	75.1	0.200 (ppm)	50-150
Methomyl	85.6	0.200 (ppm)	50-150	Myclobutanil	88.4	0.200 (ppm)	50-150
Naled	101	0.250 (ppm)	50-150	Oxamyl	73.7	0.500 (ppm)	50-150
Paclobutrazol	80.5	0.200 (ppm)	50-150	Permethrins	96.0	0.200 (ppm)	50-150
Phosmet	86.2	0.200 (ppm)	50-150	Piperonyl butoxide	91.3	1.00 (ppm)	50-150
Prallethrin	109	0.200 (ppm)	50-150	Propiconazole	91.2	0.200 (ppm)	50-150
Propoxur	97.4	0.200 (ppm)	50-150	Pyrethrins	88.6	0.500 (ppm)	50-150
Pyridaben	86.1	0.200 (ppm)	50-150	Spinosad	73.8	0.200 (ppm)	50-150
Spiromesifen	61.2	0.200 (ppm)	50-150	Spirotetramat	82.6	0.200 (ppm)	50-150
Spiroxamine	89.2	0.200 (ppm)	50-150	Tebuconazole	84.7	0.200 (ppm)	50-150
Thiacloprid	109	0.200 (ppm)	50-150	Thiamethoxam	87.8	0.200 (ppm)	50-150
Trifloxystrobin	79.4	0.200 (ppm)	50-150				

Batch: M19J231 - SOP.T.40.031 Solvents

Blank(M19J231-BLK1)			Extracted: 10/31/19 10:18		Analyzed: 10/31/19 13:05		
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
Butanes	< LOQ	250 (ppm)	< LOQ	n-Butane	< LOQ	250 (ppm)	< LOQ
iso-Butane	< LOQ	250 (ppm)	< LOQ	Hexanes	< LOQ	174 (ppm)	< LOQ
n-Hexane	< LOQ	174 (ppm)	< LOQ	2-Methylpentane	< LOQ	174 (ppm)	< LOQ
3-Methylpentane	< LOQ	174 (ppm)	< LOQ	2,2-Dimethylbutane	< LOQ	174 (ppm)	< LOQ
2,3-Dimethylbutane	< LOQ	174 (ppm)	< LOQ	Pentanes	< LOQ	1400 (ppm)	< LOQ
n-Pentane	< LOQ	1400 (ppm)	< LOQ	iso-Pentane	< LOQ	1400 (ppm)	< LOQ
Neopentane	< LOQ	250 (ppm)	< LOQ	Xylenes	< LOQ	1302 (ppm)	< LOQ
1,2-Dimethylbenzene	< LOQ	1302 (ppm)	< LOQ	1,3-Dimethylbenzene	< LOQ	1302 (ppm)	< LOQ



Stephanie Moon
 Laboratory Director - 11/4/2019

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19J231 - SOP.T.40.031 Solvents (Continued)

Blank(M19J231-BLK1)			Extracted: 10/31/19 10:18		Analyzed: 10/31/19 13:05		
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
1,4-Dimethylbenzene	< LOQ	1302 (ppm)	< LOQ	Xylenes MP	< LOQ	1302 (ppm)	< LOQ
Ethyl benzene	< LOQ	1302 (ppm)	< LOQ	2-Propanol (IPA)	< LOQ	1400 (ppm)	< LOQ
Acetone	< LOQ	1400 (ppm)	< LOQ	Acetonitrile	< LOQ	246 (ppm)	< LOQ
Benzene	< LOQ	1.2 (ppm)	< LOQ	Methanol	< LOQ	1000 (ppm)	< LOQ
Propane	< LOQ	250 (ppm)	< LOQ	Toluene	< LOQ	534 (ppm)	< LOQ
Dichloromethane	< LOQ	360 (ppm)	< LOQ	1,4-Dioxane	< LOQ	228 (ppm)	< LOQ
2-Butanol	< LOQ	1400 (ppm)	< LOQ	2-Ethoxyethanol	< LOQ	96 (ppm)	< LOQ
Cumene	< LOQ	42 (ppm)	< LOQ	Cyclohexane	< LOQ	2278 (ppm)	< LOQ
Ethyl acetate	< LOQ	1400 (ppm)	< LOQ	Ethyl ether	< LOQ	1400 (ppm)	< LOQ
Ethylene glycol	< LOQ	372 (ppm)	< LOQ	Ethylene oxide	< LOQ	30 (ppm)	< LOQ
Heptane	< LOQ	1400 (ppm)	< LOQ	Isopropyl acetate	< LOQ	1400 (ppm)	< LOQ
Tetrahydrofuran	< LOQ	432 (ppm)	< LOQ	Ethanol	< LOQ	1400 (ppm)	< LOQ

LCS(M19J231-BS1)			Extracted: 10/31/19 10:18		Analyzed: 10/31/19 14:31		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Butanes		250 (ppm)	0-200	n-Butane	100	250 (ppm)	50-150
iso-Butane	89.7	250 (ppm)	50-150	Hexanes		174 (ppm)	0-200
n-Hexane	119	174 (ppm)	70-130	2-Methylpentane	101	174 (ppm)	70-130
3-Methylpentane	121	174 (ppm)	70-130	2,2-Dimethylbutane	122	174 (ppm)	70-130
2,3-Dimethylbutane	117	174 (ppm)	70-130	Pentanes		1400 (ppm)	0-200
n-Pentane	109	1400 (ppm)	70-130	iso-Pentane	105	1400 (ppm)	70-130
Neopentane	94.1	250 (ppm)	50-150	Xylenes		1302 (ppm)	0-200
1,2-Dimethylbenzene	101	1302 (ppm)	70-130	1,3-Dimethylbenzene	98.7	1302 (ppm)	70-130
1,4-Dimethylbenzene	99.4	1302 (ppm)	70-130	Xylenes MP		1302 (ppm)	0-200
Ethyl benzene	105	1302 (ppm)	70-130	2-Propanol (IPA)	119	1400 (ppm)	70-130
Acetone	121	1400 (ppm)	70-130	Acetonitrile	124	246 (ppm)	70-130
Benzene	109	1.2 (ppm)	70-130	Methanol	129	1000 (ppm)	70-130
Propane	95.8	250 (ppm)	50-150	Toluene	110	534 (ppm)	70-130
Dichloromethane	117	360 (ppm)	70-130	1,4-Dioxane	116	228 (ppm)	70-130
2-Butanol	119	1400 (ppm)	70-130	2-Ethoxyethanol	109	96 (ppm)	70-130
Cumene	79.8	42 (ppm)	50-150	Cyclohexane	107	2278 (ppm)	70-130
Ethyl acetate	118	1400 (ppm)	70-130	Ethyl ether	118	1400 (ppm)	70-130
Ethylene glycol	93.9	372 (ppm)	70-130	Ethylene oxide	87.3	30 (ppm)	50-150
Heptane	106	1400 (ppm)	70-130	Isopropyl acetate	119	1400 (ppm)	70-130
Tetrahydrofuran	119	432 (ppm)	70-130	Ethanol	122	1400 (ppm)	70-130

Batch: M19J235 - SOP.T.30.050 Prep for Cannabinoids



Stephanie Moon
Laboratory Director - 11/4/2019

Page 7 of 8

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19J235 - SOP.T.30.050 Prep for Cannabinoids (Continued)

Blank(M19J235-BLK1)			Extracted: 10/31/19 15:25		Analyzed: 11/02/19 01:16		
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
THCA	< LOQ	0.200 (%)	< LOQ	delta 9-THC	< LOQ	0.200 (%)	< LOQ
CBDA	< LOQ	0.200 (%)	< LOQ	CBD	< LOQ	0.200 (%)	< LOQ
CBDV-A	< LOQ	0.200 (%)	< LOQ	CBDV	< LOQ	0.200 (%)	< LOQ
CBG	< LOQ	0.200 (%)	< LOQ	CBGA	< LOQ	0.200 (%)	< LOQ
CBN	< LOQ	0.200 (%)	< LOQ	CBC	< LOQ	0.200 (%)	< LOQ
Sum of tested Cannabinoid:	< LOQ	0.200 (%)	< LOQ				

LCS(M19J235-BS1)			Extracted: 10/31/19 15:25		Analyzed: 11/02/19 01:29		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
THCA	89.6	(%)	70-130	delta 9-THC	106	(%)	70-130
CBDA	94.3	(%)	70-130	CBD	104	(%)	70-130



Stephanie Moon
 Laboratory Director - 11/4/2019